

Brand hansgrohe
 Art. Name **DuoTurn S** Mixer for concealed installation for 2 functions
 Art. Nr. 75418140
 Surface Brushed Bronze




Product picture



Features

- 2 functions
- volume control and diverter for 2 functions
- maximum flow rate at 3 bar: 29,5 l/min
- maximum flow rate at 1 bar: 15 l/min
- flow rate upper outlet: 29,5 l/min
- ceramic cartridge for temperature control, shut-off/ diverter valve
- easy installation due to pre-assembled function block
- handles always at the same height regardless of the installation depth of the basic set
- escutcheon can be aligned by +/- 3°
- material escutcheon: plastic
- material handles: metal
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar
- mixer is delivered with buttons Rain small, Rain large, hand sower, Waterfall, bath tub
- connection type: basic set iBox universal 2 (# 01500180)
- flow rate lower outlet: 29,5 l/min

Drawing




Technology



Brand hansgrohe
Art. Name **DuoTurn S** Mixer for concealed installation for 2 functions
Art. Nr. 75418140
Surface Brushed Bronze

Required parts

Product picture	Art. Name	Art. Nr.
	hansgrohe iBox universal 2 Basic set	01500180

Brand hansgrohe
 Art. Name **DuoTurn S** Mixer for concealed installation for 2 functions
 Art. Nr. 75418140
 Surface Brushed Bronze

Flow chart

