

HL136N


condensate trap DN40 x 1 1/4" or d 12-18mm vertical or horizontal with trap seal and rising ball backwater stop



condensate trap DN40 x 1 1/4" (DN32 squeeze-connection) or d 12 - 18 mm (hose connectors) respectively - vertical or horizontal, water trap seal (60 mm), rising ball backwater stop and cleaning eye/tray. Preferably for air conditioners, funnels etc.



Techn. drawing



TECHNICAL DATA

material	PP	installation height	95 mm
dimension	DN40 x 5/4" bzw. d 12-18mm	grate frame	
capacity		grate	

weight	0,23	load class	
EAN	9003076018390	inlet	
		standards	DIN19541, EN12056

MAIN DATA

spare parts



HL01007D

gasket wedge shaped T30



HL01046D

locking nut 1 1/4'



HL01088D

lip seal DN32 x d 12-18mm



HL0133.1E

cleaning cartridge



HL0133.1EN

Cleaning cartridge



HL0134.5E

angled connector DN32

PACKAGING DATA

PE-bag

unit	1 [pcs.]
weight	0,238 [kg]
EAN/pack.	9003076018390
height/width/depth	80/160/360 [mm]
volume	0 [m³]

carton

unit	10 [pcs.]
weight	2,767 [kg]
EAN/pack.	9003076018406
height/width/depth	260/250/410 [mm]
volume	0,02665 [m³]

single use pallet

unit	540 [pcs.]
weight	160 [kg]
EAN/pack.	

height/width/depth 1800/800/1200 [mm]

volume 1,728 [m³]

DOWNLOADS

Foto Print	HL136N_pr.tif	max.
Foto Web	HL136N_B.jpg	640x480/300dpi
Foto Parts List	HL136N_gr.jpg	150x150/72dpi
Techn. drawing	HL136N_1_b.pdf	pdf
CAD	HL136N_2_b.dxf	dxf
example of use	HL136N_PZ.pdf	pdf
other	HL136N_Ud_d.pdf	Unterdruck-Tabelle