

HL304


floor drain DN50 horizontal with 3 inlets DN40, 123x123mm/115x115mm



floor drain DN50 horizontal with flange, trap seal with non-return valve, 3 inlets DN40, cut-to-size grate frame 12 - 70 mm / 123 x 123 mm and stainless steel grate 115 x 115 mm. Comes with lot cover.



techn. drawing



MAIN DATA

spare parts



HL304K

floor drain body DN50 horizontal with 3 inlets DN40



HL0300.6E

trap cartridge

**HL37N**

grating d 110mm/123x123mm/115x115mm. Comes with lot cover

**HL037N.2E**

grate frame d 110mm/90mm/123x123mm incl. O-ring

**HL01067D**

O-ring 92x4mm

**HL037N.OE**

supporting frame/cover 123x123mm

**HL037Pr.1E**

Stainless steel grate 115x115mm

attachment**HL3000**

grating d 110mm/stainless steel frame 121x121mm/115x115mm. System "KLICK-KLACK". Comes with supporting frame/cover.

**HL0510.7EKK**

trap seal cartridge

**HL2000KK**

trap seal PRIMUS

**HL619**

fixing brackets

**HL3110**

stainless steel grate (316) 115x115mm

**HL3120**

stainless steel grate (316) 115x115mm "Quadra"

**HL3121**

stainless steel grate (316) 115x115mm "Seine"

**HL3122**

stainless steel grate (316) 115x115mm "Loire"

**HL3123**

stainless steel grate (316) 115x115mm "Orinoko"

**HL3124**

stainless steel grate (316) 115x115mm "Nil"

**HL3125**

stainless steel grate (316) 115x115mm "Yukon"

**HL3127**

Stainless steel grate (V4A) 115x115mm 'Primus Design'

**HL3210**

Extension d 110/100mm, stainless steel frame (V4A) 121x121mm, incl. O-Ring. System "Klick-Klack".

**HL619**

fixing brackets

Extensions**HL340N**

extension 80mm/d 110mm incl. O-ring

**HL85N**

extension with flange incl. O-ring

**HL85NC**

extension d 110mm CeraDrain with polymer concrete collar incl. O-ring

**HL85NH**

extension incl. O-ring with bitumen membrane

Waterproofing Kits**HL83**

waterproofing kit with EPDM collar 400x400mm

**HL83.0**

waterproofing kit

**HL83.H**

waterproofing kit with bitumen membrane d 400mm

**HL83.M**

Sealing kit with laminated fleece

**HL83.P**

waterproofing kit with flange PVC d 287mm

TECHNICAL DATA

material	PE	installation height	136 mm
dimension	DN50	grate frame	12-70mm/123x123mm
capacity	0,5 l/s	grate	Edelstahl 115x115mm
weight	0,817	load class	K - 300 kg
EAN	9003076703043	inlet	3 x DN40
		standards	

PACKAGING DATA**carton**

unit	1 [pcs.]
weight	1 [kg]
EAN/pack.	9003076703043
height/width/depth	155/225/295 [mm]
volume	0,010288125 [m³]

single use pallet

unit	143 [pcs.]
weight	153 [kg]
EAN/pack.	
height/width/depth	1950/800/1200 [mm]
volume	1,872 [m³]

DOWNLOADS

Foto Web	HL304_B.jpg	640x480/300dpi
Foto Symbol	HL304_gr.jpg	150x150/72dpi
techn. drawing	HL304_c.pdf	pdf
CAD	HL304_2_c.dxf	dxf