

HL3100Pr



Floor drain DN 50/75/110 vertical with siphon PRIMUS, 145x145 mm Klick- Klack/
138x138mm



Floor drain DN 50/75/110 with flange, siphon PRIMUS, works also without water, 8-80 mm grating (may be cut off) with stainless steel frame 145x145mm Klick- Klack, stainless steel grate 138x138mm, lot cover for body and top



Techn. drawing



TECHNICAL DATA

material	PE	installation height	170mm
dimension	DN50/70/110	grate frame	8-80mm/145x145mm
capacity	0,8 l/sek	grate	Edelstahl 138x138mm
weight	1,079	load class	

MAIN DATA**spare parts****HL2100**

Siphon PRIMUS for HL3100Pr and HL5100Pr

**HL01093D**

O-ring 125x4

**HL3100K**

Floor drain body DN50/75/110 vertical

**HL3910Pr**

Grating d 146 mm/ Stainless steel frame 145x145 mm/ Stainless steel grate 138x138 mm, System Klick-Klack, siphon PRIMUS

**HL03910.1E**

Grate stainless steel 138x138mm

**HL03910.2E**

Grating d 146mm / stainless steel frame 145x145mm incl. O-ring, system Klick-Klack

**HL01093D**

O-ring 125x4

**HL03900.0E**

Lot cover 145x145 mm

**HL2100**

Siphon PRIMUS for HL3100Pr and HL5100Pr

**HL01093D**

O-ring 125x4

attachment**HL03910.3E**

Grate stainless steel 138x138 mm

**HL05100.7E**

Normal siphon complete

**HL066C.1E**

Stainless steel grate (V4A) "Cut" 138mm x 138mm

**HL066Q.1E**

stainless steel grate "Quadra" (316) 138x138mm

**HL3928**

Extension "Hamam" d 146mm, stainless steel brass plated frame and grate 145x145mm / 138x138mm, "Klick-Klack"

**HL05100.7E**

Normal siphon complete

**HL2100**

Siphon PRIMUS for HL3100Pr and HL5100Pr

Alternatives



HL3100

Floor drain DN50/75/110 vertical, 145x145 mm Klick-Klack/ 138x138 mm

extensions



HL3400

Elongation element d 146 mm/ 200 mm incl. O-ring



HL8500

Elongation element 200 mm/ d 146 mm with flange and O-ring



HL8500H

Extension with bitumen flange for HL3100T and 5100T series

Waterproofing Kits



HL8300

Sealing set with EPDM-collar 500x500 mm



HL8300.0

Sealing set with clamp ring stainless steel



HL8300.H

Sealing set with bitumen collar 500x500 mm



HL8300.M

Sealing kit with laminated fleece



HL8300.P

Sealing kit with solid PP flange d 350 mm



HL8300.PP

Sealing kit with solid PVC flange d 350 mm

PACKAGING DATA

carton

unit	1 [pcs.]
weight	1,406 [kg]
EAN/pack.	9003076025435
height/width/depth	175/292/392 [mm]
volume	0,0200312 [m ³]

single use pallet

unit	72 [pcs.]
weight	111,5 [kg]
EAN/pack.	
height/width/depth	1950/800/1200 [mm]

volume

1,872 [m³]

DOWNLOADS

Foto Print	HL3100Pr_pr.tif	max.
Foto Web	HL3100Pr_B.jpg	640x480/300dpi
Foto Parts List	HL3100Pr_gr.jpg	150x150/72dpi
Techn. drawing	HL3100Pr_1_b.pdf	pdf
CAD	HL3100Pr_2_b1.dxf	dxf
example of use	HL3100Pr_PZ.pdf	pdf