

HL310NG

floor drain DN50/75/110 vertical 150x150mm/137x137mm cast iron



floor drain DN50/75/110 vertical with flange, trap seal, cut-to-size plastic extension 34 - 75 mm, cast iron grate frame 150 x 150 mm and - grate 137 x 137 mm. Comes with lot cover.



TECHNICAL DATA

material	PE	installation height	158 mm
dimension	DN50/75/110	grate frame	34-73 mm/150 x 150 mm Guss
capacity	0,67 l/s	grate	Gusseisen 137 x 137 mm
weight	2,408	load class	L - 1,5 t
EAN	9003076004652	inlet	
		standards	

MAIN DATA

spare parts



HL310NK
floor drain body DN50/75/110 vertical



HL39.1G
grating d 110mm/cast iron frame 150x150mm/137x137mm cast iron with trap seal



HL01067D
O-ring 92x4mm



HL037G.1E
cast iron grate 137x137mm



HL0510.7E
trap seal cartridge



HL01067D
O-ring 92x4mm



HL0510.8E
bell trap

attachment



HL2000
trap seal PRIMUS



HL619
fixing brackets



HL82
heating kit 18W/230V



HL840
fire collar R90 for HL310N series



HL845
formwork-core with center-ring for HL840

Alternatives



HL310NPrG
floor drain DN50/75/110 vertical with trap seal PRIMUS,150x150mm/137x137mm cast iron

extensions



HL340N
extension 80mm/d 110mm incl. O-ring



HL85N
extension with flange incl. O-ring



HL85NC
extension d 110mm CeraDrain with polymer concrete collar incl. O-ring



HL85NH
extension incl. O-ring with bitumen membrane

Waterproofing Kits



HL83
waterproofing kit with EPDM collar 400x400mm



HL83.0
waterproofing kit



HL83.H
waterproofing kit with bitumen membrane d 400mm



HL83.M
Sealing kit with laminated fleece



HL83.P
waterproofing kit with flange PVC d 287mm

**HL83.PP**

Sealing set with PP flange

PACKAGING DATA**carton**

unit	1 [pcs.]
weight	2,6 [kg]
EAN/pack.	9003076004652
height/width/depth	155/225/295 [mm]
volume	0,010288125 [m ³]

DOWNLOADS

Foto Print	HL310NG_pr.tif	max.
Foto Web	HL310NG_B.jpg	640x480/300dpi
Foto Parts List	HL310NG_gr.jpg	150x150/72dpi
Techn. drawing	HL310NG_1_a.tif	max.
CAD	HL310NG_2_a.dxf	dxf
example of use	HL310NG_PZ.pdf	pdf