

HL317H


floor drain DN50/75/110 vertical with bitumen membrane, 147x147mm/138x138mm



floor drain DN50/75/110 vertical with bitumen membrane d 500 mm for perfect and easy lap-joint waterproofing with bituminous membranes, trap seal, cut-to-size grate frame 20 - 70 mm / 147 x 147 mm, stainless steel grate 138 x 138 mm and strainer. Comes with lot cover.



Techn. drawing



TECHNICAL DATA

material	PP	installation height	220 mm
dimension	DN50/75/110	grate frame	20-70 mm/147 x 147 mm
capacity	1,80 l/s	grate	Edelstahl 138 x 138 mm

weight	1,985	load class	K - 300 kg
EAN	9003076317110	inlet	
		standards	

MAIN DATA

spare parts



HL0317.5E
strainer



HL317KH
floor drain body DN50/75/110 vertical with bitumen membrane



HL0317.3E
bell trap



HL0317.4E
reduction DN110xDN75



HL062B.3E
adapter



HL66.3
grating d 145mm sleek/147x147mm/138x138mm



HL0317.1E
stainless steel grate 138x138mm



HL0317.2E
grate frame d 145mm/90mm/147x147mm

attachment



HL160
gravel guard d 150mm



HL850
fire collar R90 for HL317 series



HL855
formwork-core with center-ring for HL850



HL870
Fire collar R90 for HL62 and HL317 series

Alternatives



HL317
floor drain DN50/75/110 vertical 147x147mm/138x138mm



HL84.H
waterproofing kit with bitumen membrane d 500mm

extensions



HL350
extension 130mm/d 145mm

**HL350.1**

extension 180mm/d 145mm with flange and waterproofing kit HL84

**HL350.1H**

extension 180mm/d 145mm with bitumen membrane

**HL350.2**

extension 130mm/d 145mm with inlet DN40

PACKAGING DATA**carton**

unit	1 [pcs.]
weight	2,46 [kg]
EAN/pack.	9003076317110
height/width/depth	180/385/385 [mm]
volume	0,0266805 [m ³]

single use pallet

unit	60 [pcs.]
weight	158 [kg]
EAN/pack.	
height/width/depth	1900/800/1200 [mm]
volume	1,824 [m ³]

DOWNLOADS

Foto Print	HL317H_pr.tif	max.
Foto Web	HL317H_B.jpg	640x480/300dpi
Foto Parts List	HL317H_gr.jpg	150x150/72dpi
Techn. drawing	HL317H_a.pdf	pdf
CAD	HL317H_2_a.dxf	dxf