

HL37NPr


grating d 110mm/123x123mm/115x115mm with trap seal PRIMUS. Comes with lot cover



grating d 110 mm / 123 x 123 mm with stainless steel
grate 115 x 115 mm and trap seal Primus. Total height 90
mm, frame height 10 mm. Comes with lot cover.



techn. drawing



MAIN DATA

spare parts



HL037N.2E

grate frame d 110mm/90mm/123x123mm incl. O-ring



HL01067D

O-ring 92x4mm



HL037N.OE
supporting frame/cover 123x123mm



HL037Pr.1E
Stainless steel grate 115x115mm



HL2000
trap seal PRIMUS



HL01067D
O-ring 92x4mm

attachment



HL0510.7E
trap seal cartridge



HL090.4E
flap cartridge



HL619
fixing brackets

Alternatives



HL3000Pr
grating d 110mm/stainless steel frame 121x121mm/115x115mm with trap seal PRIMUS. System "KLICK-KLACK". Comes with supporting frame/cover.



HL38NPr
grating round d 110mm/stainless steel frame d 131mm/d 112mm with trap seal PRIMUS



HL39Pr
grating d 110mm/147x147mm/140x140mm with trap seal PRIMUS



HL39PrG
grating d 110mm/cast iron frame 150x150mm/137x137mm cast iron with trap seal PRIMUS

Extensions



HL340N
extension 80mm/d 110mm incl. O-ring



HL85N
extension with flange incl. O-ring



HL85NC
extension d 110mm CeraDrain with polymer concrete collar incl. O-ring



HL85NH
extension incl. O-ring with bitumen membrane

used with



HL310NPr
floor drain DN50/75/110 vertical with trap seal PRIMUS, 123x123mm/115x115mm



HL510NPr
floor drain DN40/50 horizontal with trap seal PRIMUS, 123x123mm/115x115mm

TECHNICAL DATA

material	PP	installation height	90 mm
dimension	d 110 mm	grate frame	123x123mm
capacity		grate	Edelstahl 115x115mm

weight	0,405	load class	K - 300 kg
EAN	9003076015269	inlet	
		standards	

PACKAGING DATA

PE-bag

unit	1 [pcs.]
weight	0,41 [kg]
EAN/pack.	9003076015269
height/width/depth	125/132/132 [mm]
volume	0 [m³]

DOWNLOADS

Foto Print	HL37NPr_pr.tif	max.
Foto Web	HL37NPr_B.jpg	640x480/300dpi
Foto Symbol	HL37NPr_gr.jpg	150x150/72dpi
techn. drawing	HL37NPR_a.pdf	pdf
CAD	HL37N_2_a.dxf	dxf
example of use	HL37NP_1_Einbau_de.pdf	
example of use	HL37NP_2_Einbau_de.pdf	