

HL62H/7


flat-roof drain DN75 with bitumen membrane



flat-roof drain DN75 vertical with insulated drain body, bitumen membrane d 500 mm for perfect and easy lap-joint waterproofing with bituminous membranes and domed plastic grate d 180 mm. Comes with lot cover.



techn. drawing



MAIN DATA

spare parts



HL062.1E

domed plastic grate



HL170

flat grate d 150mm

attachment

**HL160**

gravel guard d 150mm

**HL170**

flat grate d 150mm

**HL175**

domed grate stainless steel

**HL635**

drainage grating 362x362mm/240x240mm aluminium

**HL66**

grating d 145mm sleek/(316) stainless steel frame 150x150mm/138x138mm (316) secured

**HL01058D**

tailback gasket for stainless steel flange 220x155mm

**HL062B.3E**

adapter

**HL160**

gravel guard d 150mm

**HL66.1**

grating d 145mm sleek/(316) stainless steel frame 150x150mm/138x138mm (316) secured and slip-resistant

**HL01058D**

tailback gasket for stainless steel flange 220x155mm

**HL062B.3E**

adapter

**HL160**

gravel guard d 150mm

**HL66.9**

grating d 145mm fluted/148x148mm/138x138mm

**HL062B.3E**

adapter

**HL160**

gravel guard d 150mm

**HL67**

grating round d 145mm sleek/(316) stainless steel frame d 155mm/d 145mm

**HL01058D**

tailback gasket for stainless steel flange 220x155mm

**HL062B.3E**

adapter

**HL160**

gravel guard d 150mm

Alternatives**HL62.1H/7**

flat-roof drain DN75 with bitumen membrane, heated (10-30W/230V)

**HL62BH/7**

flat-roof drain DN75 with bitumen membrane. Walkable - 148x148mm/137x137mm

Extensions



HL350

extension 130mm/d 145mm



HL350.1

extension 180mm/d 145mm with flange and waterproofing kit HL84



HL350.1H

extension 180mm/d 145mm with bitumen membrane



HL65

extension 300mm/d 125mm with clamping ring



HL65H

extension 300mm/d 125mm with bitumen membrane

TECHNICAL DATA

material	PP	installation height	100mm
dimension	DN75	grate frame	
capacity	9,9 l/s	grate	Laubfangkorb d 145mm
weight	1,85	load class	
EAN	9003076831623	inlet	
		standards	

PACKAGING DATA

carton

unit	1 [pcs.]
weight	2,3 [kg]
EAN/pack.	9003076831623
height/width/depth	180/385/385 [mm]
volume	0,0266805 [m³]

single use pallet

unit	60 [pcs.]
weight	148 [kg]
EAN/pack.	
height/width/depth	2100/800/1200 [mm]
volume	2,016 [m³]

DOWNLOADS

Foto Print	HL62H_7_pr.tif	max.
Foto Web	HL62H_7_B.jpg	640x480/300dpi
Foto Symbol	HL62H_7_gr.jpg	150x150/72dpi
techn. drawing	HL62H_7_a.pdf	pdf
CAD	HL62H_7_2_a.dxf	dxf
example of use	HL62Hx7_PZ.pdf	pdf