


HL710


anti-flood valve DN110 with stainless steel flap



anti-flood valve DN110 with automatic stainless steel flap and cleaning eye.
ATTENTION! New model - identifiable by sockets molded to the body. Models with screwed sockets have other spare parts - please contact HL!



techn. drawing



MAIN DATA

spare parts



HL01064D
lip seal DN110



HL01078D
casing gasket NEW

**HL0710.30E**

casing cover NEW

**HL0710.32E**

flap cartridge NEW

**HL01077D**

flap seal NEW

**HL0710.8E**

butterfly nuts (4 Stk.)

attachment**HL0710.31E**

casing cover with lock

Alternatives**HL710.1**

anti-flood valve DN110 with stainless steel flap and manual blocking

**HL710.2**

anti-flood valve DN110 with 2 stainless steel flaps and manual blocking

**HL710.2EPC**anti-flood valve DN110 with electronically controlled flap, additional stainless steel flap and manual blocking.
With interface**TECHNICAL DATA**

material	ABS	installation height	220 mm
dimension	DN110	grate frame	
capacity		grate	
weight	1,556	load class	
EAN	9003076907106	inlet	
		standards	

PACKAGING DATA**carton**

unit	1 [pcs.]
weight	2,35 [kg]
EAN/pack.	9003076907106
height/width/depth	270/240/370 [mm]
volume	0,023976 [m ³]

single use pallet

unit	63 [pcs.]
-------------	-----------

weight	159 [kg]
EAN/pack.	9003076999088
height/width/depth	2200/800/1200 [mm]
volume	2,112 [m³]

DOWNLOADS

Foto Print	HL710_pr.tif	max.
Foto Web	HL710_B.jpg	640x480/300dpi
Foto Symbol	HL710_gr.jpg	150x150/72dpi
techn. drawing	HL710_c.pdf	pdf
CAD	HL710_2_c.dxf	dxf