


HL715


anti-flood valve DN160 with stainless steel flap



anti-flood valve DN160 with automatic stainless steel flap and cleaning eye.
 ATTENTION! New model - identifiable by sockets molded to the body. Models with screwed sockets have other spare parts - please contact HL!



techn. drawing



MAIN DATA

spare parts



HL01081D
casing gasket NEW



HL01090D
lip seal DN160



HL0710.33E
casing cover NEW



HL0710.35E
flap cartridge NEW



HL01080D
flap seal NEW



HL0710.8E
butterfly nuts (4 Stk.)

attachment



HL0710.34E
casing cover NEW with lock

Alternatives



HL715.1
anti-flood valve DN160 with stainless steel flap and manual blocking



HL715.2
anti-flood valve DN160 with 2 stainless steel flaps and manual blocking



HL715.2EPC
anti-flood valve DN160 with electronically controlled flap, additional stainless steel flap and manual blocking. With interface

TECHNICAL DATA

material	ABS	installation height	248 mm
dimension	DN160	grate frame	
capacity		grate	
weight	2,694	load class	
EAN	9003076907151	inlet	
		standards	

PACKAGING DATA

carton

unit	1 [pcs.]
weight	3,58 [kg]
EAN/pack.	9003076907151
height/width/depth	290/275/420 [mm]
volume	0,006402 [m³]

single use pallet

unit	54 [pcs.]
------	-----------

weight	214 [kg]
EAN/pack.	9003076999101
height/width/depth	2050/870/1300 [mm]
volume	2,31855 [m³]

DOWNLOADS

Foto Print	HL710_pr.tif	max.
Foto Web	HL710_B.jpg	640x480/300dpi
Foto Symbol	HL710_gr.jpg	150x150/72dpi
techn. drawing	HL715_b.pdf	pdf
CAD	HL715_2_b.dxf	dxf