


HL83.M


Sealing kit with laminated fleece



Sealing kit, consisting of: Stainless steel flange with screws, gasket and laminated fleece for the connection to under-tile waterproofings like e.g. epoxy resins.



techn. drawing



MAIN DATA

spare parts



HL01023D

lip seal 180x6mm



HL083.1E

screws 6,3x16mm (6 Stk.)

**HL083.2E**

stainless steel flange 200x115mm

**HL083.4E**

Laminated fleece

TECHNICAL DATA

material	Edelstahl- vlieskaschierte FL.	installation height
dimension	196 x 114 mm / d 400 mm	grate frame
capacity		grate
weight	0,281	load class
EAN	9003076030835	inlet
		standards

PACKAGING DATA**PE-bag**

unit	1 [pcs.]
weight	0,288 [kg]
EAN/pack.	9003076030835
height/width/depth	40/220/220 [mm]
volume	0 [m³]

carton

unit	10 [pcs.]
weight	3,028 [kg]
EAN/pack.	9003076040834
height/width/depth	155/225/295 [mm]
volume	0,010288125 [m³]

single use pallet

unit	650 [pcs.]
weight	207 [kg]
EAN/pack.	
height/width/depth	950/800/1200 [mm]
volume	0,912 [m³]

DOWNLOADS

Foto Print	HL83M_pr.tif	max.
Foto Web	HL83M_B.jpg	640x480/300dpi
Foto Symbol	HL83M_gr.jpg	150x150/72dpi
techn. drawing	HL83_M_1_a.pdf	pdf
CAD	HL83_M_2_a1.dxf	dxf
example of use	HL83M_PZ.pdf	pdf