

HL901


Ventpipe DN75/90/110 with integrated thermal insulation and massive lip-seal



Ventpipe DN75/90/110 according EN12380 A1 with removable insect cover (easy cleaning!), massive rubber membrane, integrated thermal insulation and lip-seal. Connectable to sockets DN90 as well as to spigots of plastic or cast iron pipes DN75/110.



techn. drawing



MAIN DATA

spare parts



HL01101D
Lip-seal for HL901



HL0901.1E
Insect cover

Alternatives



HL900N

air admittance valve DN110 with integrated double insulation and reduction DN50/75



HL900NECO

air admittance valve DN110 with integrated double insulation

TECHNICAL DATA

material	ABS/PP	installation height	
dimension	DN75/90/110	grate frame	
capacity	32 l/s	grate	
weight	0,362	load class	
EAN	9003076031269	inlet	
		standards	EN12380 A1

PACKAGING DATA

PE-bag

unit	1 [pcs.]
weight	0,37 [kg]
EAN/pack.	9003076031269
height/width/depth	120/160/160 [mm]
volume	0 [m³]

carton

unit	10 [pcs.]
weight	4,14 [kg]
EAN/pack.	9003076031276
height/width/depth	360/300/410 [mm]
volume	0,04428 [m³]

single use pallet

unit	320 [pcs.]
weight	142,5 [kg]
EAN/pack.	
height/width/depth	1650/850/1200 [mm]
volume	1,683 [m³]

DOWNLOADS

Foto Print	HL901_pr.tif	max.
Foto Web	HL901_B.jpg	640x480/300dpi
Foto Symbol	HL901_gr.jpg	150x150/72dpi
techn. drawing	HL901_a.pdf	pdf
CAD	HL901_2_a.dxf	dxf